

12AM25-M3

Adapter Ø 12 mm to Ø 25 mm with thread M3 for flushing nozzle



FEATURES

Adapter for fiber collimators type [60FC-...-XV](#).

Radial bore hole and M3 thread for flushing the entire fiber collimator e.g. with nitrogen.


Outer diameter Ø 25 mm e.g. for use with standard kinematic mirror mounts.

DESCRIPTION

Adapter for fiber collimators type [60FC-...-XV](#).

The adapter has a radial bore hole and a M3 thread. The bore hole matches to the radial bore hole of the series [60FC-...-XV](#) fiber collimators. By means of a M3 nozzle you can flush the entire fiber collimators e.g. with nitrogen.

- Outer diameter Ø 25 mm e.g. for use with standard kinematic mirror mounts.
- Indirect clamping
- Nickel silver
- The nozzle is not included




TECHNICAL DATA

12AM25-M3

Order Code		12AM25-M3
Adapter	Outer diameter	Fitting bore
	Ø 25 mm	Ø 12 mm
Clear aperture	Ø 12 mm	
Thread for nozzle	M3	
Material	Nickel silver	
Weight	31 g	

Dimensions (for a complete dimensional drawing please refer to the downloads section)



DOWNLOADS



[930410840700.pdf \(Dimensional drawing\).](#)

ACCESSORIES

50HD-15

Hex key WS 1.5

RELATED PRODUCTS

**PURGE FIBER
COLLIMATOR 60FC-XV**

Special series with bore hole for purging

**ADAPTERS FOR
60FC-...-XV**

for Ø 12 mm fiber collimators, with bore hole and
thread for flushing nozzle

This is a printout of the page <https://sukhamburg.com/products/details/12AM25-M3> from 5/6/2024

CONTACT

For more information please contact:

Schäfter + Kirchhoff GmbH

Kieler Str. 212

22525 Hamburg

Germany

Tel: +49 40 85 39 97-0

Fax: +49 40 85 39 97-79

info@sukhamburg.de

www.sukhamburg.com

LEGAL NOTICE

Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [\[more\]](#)