

## 13H0.8

Aperture Ø 0.8 mm for Collimators with Ø 25 mm



### FEATURES

Aperture

- Ø 0.8 mm fixed aperture
- Compatible to Fiber Collimators of series [60FC-L](#) and [60FC-T](#) with an outer diameter Ø 25 mm
- System mount Ø 19.5 mm

## DESCRIPTION

The Ø 0.8 mm aperture can be attached to Fiber Collimators of series [60FC-L](#) and [60FC-T](#) with an outer diameter Ø 25 mm in order to narrow down the collimated beam.

**Please note:** In case of use with a single-mode / PM-fiber, the Gaussian beam from the fiber collimator is truncated by the aperture.

## TECHNICAL DATA

13H0.8

Order Code		13H0.8
Series		13H
Aperture	Aperture	System mount
	Ø 0.8 mm	Ø 19.5 mm
Material		Nickel silver and black anodized aluminum
Weight		22.5 g

## ACCESSORIES

50HD-15

Hex key WS 1.5

## RELATED PRODUCTS

**FIBER COLLIMATOR  
SERIES 60FC-L**

for collimating large beam diameters

**FIBER COLLIMATOR  
SERIES 60FC-T**for collimating large beam diameters and with  
additional TILT adjustment**ATTACHMENT OPTICS  
SERIES 13**to attach in the front of collimators with system mount  
Ø19.5 mm**13BL1-13**Iris diaphragm for fiber collimators with diameter Ø  
25/28 mm

This is a printout of the page [https://sukhamburg.com/products/details/13H0\\_8](https://sukhamburg.com/products/details/13H0_8) from 4/29/2024

## CONTACT

For more information please contact:

Schäfter + Kirchhoff GmbH

Kieler Str. 212

22525 Hamburg

Germany

Tel: +49 40 85 39 97-0

Fax: +49 40 85 39 97-79

[info@sukhamburg.de](mailto:info@sukhamburg.de)

[www.sukhamburg.com](http://www.sukhamburg.com)

## LEGAL NOTICE

Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [\[more\]](#)