#### 13M-S1000-33-S

**Micro Focus Optics** 



#### **FEATURES**

Micro focus optics used for focussing the collimated radiation exiting a fiber collimator.

- Attachment optics for fiber collimators type <u>60FC-L</u> or <u>60FC-T</u> with outer diameter Ø 25 mm
- Focal length f' = 1000 mm
- AR Coating 390 670 nm

### DESCRIPTION

The Micro Focus Optics type 13M-S1000-33-S is used to generate a small laser spot from the collimated radiation of a fiber collimator.

The <u>size of the spot</u> and its <u>Rayleigh range</u> is determined by the fiber properties and by the focal lengths of the fiber collimator and of the micro focus optics. For single-mode fibers the Gaussian intensity distribution and beam shape are maintained.

It is designed for the fiber collimators series <u>60FC-L</u> or <u>60FC-T</u> with an outer diameter Ø 25 mm.

#### Adjustment:

In order to change the working distance of the Micro Focus Optics the lens position of the adjacent collimator has to be readjusted.

#### Housing material:

As standard, the housing of the Micro Focus Optics is made of nickel silver. For amagnetic fiber collimators Schäfter+Kirchhoff offers Micro Focus Optics with housings made of titanium.

# **TECHNICAL DATA**

13M-S1000-33-S


| Series     | 13M            |
|------------|----------------|
| Order Code | 13M-S1000-33-S |



## **DATA SHEET**

| Focal length       | 1000 mm               |
|--------------------|-----------------------|
| Working distance A | 940 - 969 mm          |
| AR coating         | 33                    |
| Wavelength range   | 390 - 670 nm          |
| Lens type          | Singlet optics        |
| Correction         | -                     |
| Numerical aperture | 0.007                 |
| Clear aperture     | Ø 16 mm               |
| Outer diameter     | Ø 25 mm               |
| Length B           | 8 mm                  |
| System mount       | Ø 19.5 mm             |
| Front fitting      | -                     |
| Housing material   | Nickel silver / steel |
| Weight             | 30 g                  |
| RoHS compliant     |                       |

Dimensions (for a complete dimensional drawing please refer to the downloads section)



# DOWNLOADS



940130018200.pdf (Dimensional drawing)



Coating-3308-19.pdf (Coating curve)



### ACCESSORIES

50HD-15

Hex key WS 1.5

# **RELATED PRODUCTS**

| MICRO FOCUS OPTICS<br>SERIES 13M | for transforming a collimated beam into a micro focus spot |
|----------------------------------|--|
| ATTACHMENT OPTICS                | to attach in the front of collimators with system mount    |
| SERIES 13                        | Ø19.5 mm   |

This is a printout of the page https://sukhamburg.com/products/details/13M-S1000-33-S from 5/4/2024

### CONTACT

For more information please contact: Schäfter + Kirchhoff GmbH Kieler Str. 212 22525 Hamburg Germany Tel: +49 40 85 39 97-0 Fax: +49 40 85 39 97-79

info@sukhamburg.de www.sukhamburg.com

# **LEGAL NOTICE**

#### Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [more]

