

13MC-M100+95CM-658-22-B09-M60-C-6

Laser Micro Focus Generator with rotationally symmetric beam profile



FEATURES

Laser spot with rotationally symmetric, Gaussian beam profile.

■ Spot diameter: 0.006 x 0.006 mm

Wavelength: 658 nmWorking distance: 93 mm

 Micro Focus Generator for small spot widths and high power density in the focal plane



DESCRIPTION

The laser diode beam source type 13MC-M100+95CM-658-22-B09-M60-C-6 produces a rotationally symmetric circular laser spot with Gaussian intensity distribution.

The laser has integrated electronics $\underline{type\ C}$ for control of the laser output power. The output power can be controlled using the $\underline{modulation\ input\ ports\ (TTL\ and\ analog)}$ or manually using the potentiometer.

The working distance can be adjusted by adjusting the focus setting. Please note that the spot diameter increases proportionally to the working distance. A fine-adjustment of the distance between laser and target is recommended for fine-focusing.

TECHNICAL DATA

13MC-M100+95CM-658-22-B09-M60-C-6

Series 13MC



Line profile	Gaussian Inter	acity Diotribution
	Gaussian Intensity Distribution	
Wavelength	658 +5/-5 nm	
Laser output power	22 mW	
Laser safety class	3В	
Focussing range	80-110 mm	
Working distance	93 mm	
Spot height	0.006 mm	
Spot width	0.006 mm	
Rayleigh range	0.083 mm	
Diameter laser module	25/28 mm	
Module length	121.9 mm	
Installation length	244.9 mm	
Cable length	1.5 m	
Connector type	Lumberg SV50 IEC 61076-2-106	
Supply voltage	5 ± 0.2 V	
Max. current consumption	0.25 A	
Working temperature	0 - 40 °C	
Modulation inputs	Analog	TTL
Input resistance	22 kOhm	22 kOhm
Max. modulation frequency	100 kHz	100 kHz
Modulation delay ON/OFF	1/0.5 μs	2/1 μs
Rise / Fall time	3/2 μs	3/2 μs

DOWNLOADS



13MC+95CM+80.pdf

ACCESSORIES

50HD-15 Hex key WS 1.5

9D-12 Screwdriver WS 1.2

PS051003E Power Supply 5 V



RELATED PRODUCTS

LASER MODULES Laser Macro Focus Generator

SERIES 13MMC • Rotationally symmetric beam profile

Extended depth of focus

LASER MODULES • Micro Focus Generator

SERIES LNC-13MC • Rotationally symmetric, Gaussian beam profile

Low noise

LASER MODULES • Micro Focus Generator

SERIES 13M • Elliptical Gaussian beam profile

LASER MODULES • Compact Laser Micro Focus Generator

SERIES 5MC • Rotationally symmetric, Gaussian beam profile

LASER MODULES • Compact Laser Micro Focus Generator

SERIES 5M • Elliptical Gaussian beam profile

This is a printout of the page https://sukhamburg.com/products/details/13MC-M100 95CM-658-22-B09-M60-C-6 from 5/6/2024

CONTACT

For more information please contact: Schäfter + Kirchhoff GmbH Kieler Str. 212

22525 Hamburg Germany

Tel: +49 40 85 39 97-0 Fax: +49 40 85 39 97-79

info@sukhamburg.de www.sukhamburg.com



LEGAL NOTICE

Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [more]