

### 13MC-S1000+95CM-658-22-B09-M60-C-6

Laser Micro Focus Generator with rotationally symmetric beam profile



#### **FEATURES**

Laser spot with rotationally symmetric, Gaussian beam profile.

■ Spot diameter: 0.059 x 0.059 mm

Wavelength: 658 nm

Working distance: 973 mm

 Micro Focus Generator for small spot widths and high power density in the focal plane



### **DESCRIPTION**

The laser diode beam source type 13MC-S1000+95CM-658-22-B09-M60-C-6 produces a rotationally symmetric circular laser spot with Gaussian intensity distribution.

The laser has integrated electronics  $\underline{type\ C}$  for control of the laser output power. The output power can be controlled using the  $\underline{modulation\ input\ ports\ (TTL\ and\ analog)}$  or manually using the potentiometer.

The working distance can be adjusted by adjusting the focus setting. Please note that the spot diameter increases proportionally to the working distance. A fine-adjustment of the distance between laser and target is recommended for fine-focusing.

## **TECHNICAL DATA**

13MC-S1000+95CM-658-22-B09-M60-C-6

Series 13MC



Order Code	13MC-S1000+95CM-658-22-B09-M60-C-6	
Line profile	Gaussian Intensity Distribution	
Wavelength	658 +5/-5 nm	
Laser output power	22 mW	
Laser safety class	3B	
Focussing range	815-1290 mm	
Working distance	973 mm	
Spot height	0.059 mm	
Spot width	0.059 mm	
Rayleigh range	8.31 mm	
Diameter laser module	25/28 mm	
Module length	121.9 mm	
Installation length	1124.9 mm	
Cable length	1.5 m	
Connector type	Lumberg SV50 IEC 61076-2-106	
Supply voltage	5 ± 0.2 V	
Max. current consumption	0.25 A	
Working temperature	0 - 40 °C	
Modulation inputs	Analog	TTL
Input resistance	22 kOhm	22 kOhm
Max. modulation frequency	100 kHz	100 kHz
Modulation delay ON/OFF	1/0.5 μs	2/1 μs
Rise / Fall time	3/2 μs	3/2 µs

# **DOWNLOADS**



# **ACCESSORIES**

**50HD-15** Hex key WS 1.5

**9D-12** Screwdriver WS 1.2

PS051003E Power Supply 5 V



### **RELATED PRODUCTS**

LASER MODULES Laser Macro Focus Generator

SERIES 13MMC • Rotationally symmetric beam profile

Extended depth of focus

LASER MODULES ■ Micro Focus Generator

SERIES LNC-13MC • Rotationally symmetric, Gaussian beam profile

Low noise

LASER MODULES • Micro Focus Generator

SERIES 13M • Elliptical Gaussian beam profile

LASER MODULES • Compact Laser Micro Focus Generator

SERIES 5MC • Rotationally symmetric, Gaussian beam profile

LASER MODULES • Compact Laser Micro Focus Generator

SERIES 5M • Elliptical Gaussian beam profile

This is a printout of the page <a href="https://sukhamburg.com/products/details/13MC-S1000\_95CM-658-22-B09-M60-C-6">https://sukhamburg.com/products/details/13MC-S1000\_95CM-658-22-B09-M60-C-6</a> from 4/19/2024

### CONTACT

For more information please contact: Schäfter + Kirchhoff GmbH Kieler Str. 212 22525 Hamburg Germany

Tel: +49 40 85 39 97-0 Fax: +49 40 85 39 97-79

info@sukhamburg.de www.sukhamburg.com



# **LEGAL NOTICE**

### Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [more]