

19.5AC-4-FC

Bulkhead fiber adapter FC APC to system mount Ø 19.5 mm with TILT alignment



FEATURES


Bulkhead fiber adapter

- Receptacle type FC APC
- System mount Ø 19.5 mm
- Inclined coupling axis
- TILT alignment

-
- With integrated TILT adjustment



DESCRIPTION




TECHNICAL DATA

19.5AC-4-FC

Order Code	19.5AC-4-FC	
Adapter	FC APC	System mount
		Ø 19.5 mm
		Steel ring
Inclined coupling axis	4° (for 8° polished connectors)	
TILT alignment	± 1.5°	
Material	Nickel silver / steel	
Weight	44 g	

Dimensions (for a complete dimensional drawing please refer to the downloads section)



DOWNLOADS



[970920520603.pdf \(Dimensional drawing\)](#)

ACCESSORIES

- 9D-12** Screwdriver WS 1.2
- 50HD-15** Hex key WS 1.5

RELATED PRODUCTS

BULKHEAD FIBER ADAPTERS

Fiber Adapters without Optics

ADAPTERS FOR FIBER OPTICS

Adapters to use with fiber collimators and with the multicube™ system.

FIBER PATCH CABLES

Single-mode and polarization-maintaining fiber cables as well as multi-mode fiber cables

This is a printout of the page https://sukhamburg.com/products/details/19_5AC-4-FC from 6/9/2023

CONTACT

For more information please contact:

Schäfter + Kirchhoff GmbH**Kieler Str. 212****22525 Hamburg****Germany****Tel: +49 40 85 39 97-0****Fax: +49 40 85 39 97-79****info@sukhamburg.de****www.sukhamburg.com**

LEGAL NOTICE

Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [\[more\]](#)