

19.5AC-4-FC

Bulkhead fiber adapter FC APC to system mount Ø 19.5 mm with TILT alignment




FEATURES


Bulkhead fiber adapter

- Receptacle type FC APC
- System mount Ø 19.5 mm
- Inclined coupling axis
- TILT alignment

- With integrated TILT adjustment



DESCRIPTION




TECHNICAL DATA

19.5AC-4-FC

Order Code	19.5AC-4-FC	
Adapter	FC APC	System mount
		Ø 19.5 mm
		Steel ring
Inclined coupling axis	4° (for 8° polished connectors)	
TILT alignment	± 1.5°	
Material	Nickel silver / steel	
Weight	44 g	

Dimensions (for a complete dimensional drawing please refer to the downloads section)



DOWNLOADS



[970920520603.pdf \(Dimensional drawing\).](#)

ACCESSORIES

9D-12	Screwdriver WS 1.2
50HD-15	Hex key WS 1.5

RELATED PRODUCTS

**BULKHEAD FIBER
ADAPTERS**

Fiber Adapters without Optics

**ADAPTERS FOR FIBER
OPTICS**

Adapters to use with fiber collimators and with the multicube™ system.

FIBER PATCH CABLES

Single-mode and polarization-maintaining fiber cables as well as multi-mode fiber cables

This is a printout of the page https://sukhamburg.com/products/details/19_5AC-4-FC from 5/4/2024

CONTACT

For more information please contact:

Schäfter + Kirchhoff GmbH

Kieler Str. 212

22525 Hamburg

Germany

Tel: +49 40 85 39 97-0

Fax: +49 40 85 39 97-79

info@sukhamburg.de

www.sukhamburg.com

LEGAL NOTICE

Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [\[more\]](#)