

# 48WP-2-CA-461L, half-wave plate, low-order

allows polarization rotation of linearly polarized radiation of 461 nm



#### **FEATURES**

The retardation optics type 48WP-2-CA-461L is a half-wave plate that allow the polarization rotation of linearly polarized radiation. It has a rotary mount and is designed to be integrated into the <u>multicube</u> system.

- Quartz plate, low-order
- For wavelengths 461 nm
- Clear aperture 5 mm
- In adjustable mount with self-locking tubular axis (0 - 360°)
- Rotation around axis that is inclined 2° with respect to the optical axis. This avoids interference and back-reflection
- System mount Ø 19.5 mm
- Adjustable using Schäfter+Kirchhoff Polarization Analyzer series <u>SK010PA</u>.

#### **TECHNICAL DATA**


48WP-2-CA-461L, half-wave plate, low-order

Retardation  Order  Iow-order  AR coating  yes  Material  Quartz  Clear aperture  5 mm  System mount  Ø 19.5 mm  Adjustment range	Order Code	48WP-2-CA-461L
Order low-order  AR coating yes  Material Quartz  Clear aperture 5 mm  System mount Ø 19.5 mm  Adjustment range 360°	Center wavelength	461 nm
AR coating yes  Material Quartz  Clear aperture 5 mm  System mount Ø 19.5 mm  Adjustment range 360°	Retardation	λ/2
Material Quartz Clear aperture 5 mm  System mount Ø 19.5 mm  Adjustment range 360°	Order	low-order
Clear aperture 5 mm  System mount Ø 19.5 mm  Adjustment range 360°	AR coating	yes
System mount Ø 19.5 mm Adjustment range 360°	Material	Quartz
Adjustment range 360°	Clear aperture	5 mm
	System mount	Ø 19.5 mm
Inclined rotary axis 2°	Adjustment range	360°
	Inclined rotary axis	2°



Housing material	Nickel silver
Weight	46 g

Dimensions (for a complete dimensional drawing please refer to the downloads section)



### **DOWNLOADS**



980210090404.pdf (Dimensional drawing)

### **ACCESSORIES**

**POLARIZATION** Measurement tool for coupling into polarization-**ANALYZER SK010PA** maintaining fiber cables

## **RELATED PRODUCTS**

**HALF-WAVE PLATE**The half-wave plate rotates the polarization direction **48WP-2 (LOW-ORDER)**of a linearly polarized input beam

MULTICUBE SYSTEM Multicube-Components and Systems



This is a printout of the page https://sukhamburg.com/products/details/48WP-2-CA-461L from 5/1/2024

### **CONTACT**

For more information please contact: Schäfter + Kirchhoff GmbH Kieler Str. 212 22525 Hamburg Germany

Tel: +49 40 85 39 97-0 Fax: +49 40 85 39 97-79

info@sukhamburg.de www.sukhamburg.com

### **LEGAL NOTICE**

Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [more]