

# 48WP-2-CA-811L, half-wave plate, low-order

allows polarization rotation of linearly polarized radiation of 811 nm



#### **FEATURES**

The retardation optics type 48WP-2-CA-811L is a half-wave plate that allow the polarization rotation of linearly polarized radiation. It has a rotary mount and is designed to be integrated into the <u>multicube</u> system.

- Quartz plate, low-order
- For wavelengths 811 nm
- Clear aperture 5 mm
- In adjustable mount with self-locking tubular axis (0 - 360°)
- Rotation around axis that is inclined 2° with respect to the optical axis. This avoids interference and back-reflection
- System mount Ø 19.5 mm
- Adjustable using Schäfter+Kirchhoff Polarization Analyzer series <u>SK010PA</u>.

#### **TECHNICAL DATA**


48WP-2-CA-811L, half-wave plate, low-order

| Retardation\$\lambda/2\$Orderlow-orderAR coatingyesMaterialQuartzClear aperture5 mm                                  | Order Code           | 48WP-2-CA-811L |
|--|----------------------|----------------|
| Order low-order  AR coating yes  Material Quartz  Clear aperture 5 mm  System mount Ø 19.5 mm  Adjustment range 360° | Center wavelength    | 811 nm         |
| AR coating yes  Material Quartz  Clear aperture 5 mm  System mount Ø 19.5 mm  Adjustment range 360°                  | Retardation          | λ/2            |
| Material Quartz Clear aperture 5 mm  System mount Ø 19.5 mm  Adjustment range 360°                                   | Order                | low-order      |
| Clear aperture 5 mm  System mount Ø 19.5 mm  Adjustment range 360°   | AR coating           | yes            |
| System mount Ø 19.5 mm Adjustment range 360°   | Material             | Quartz         |
| Adjustment range 360°  | Clear aperture       | 5 mm           |
|  | System mount         | Ø 19.5 mm      |
| Inclined rotary axis 2°  | Adjustment range     | 360°           |
|  | Inclined rotary axis | 2°             |



| Housing material | Nickel silver |
|------------------|---------------|
| Weight           | 46 g          |

Dimensions (for a complete dimensional drawing please refer to the downloads section)



### **DOWNLOADS**



980210090404.pdf (Dimensional drawing)

### **ACCESSORIES**

**POLARIZATION** Measurement tool for coupling into polarization-**ANALYZER SK010PA** maintaining fiber cables

## **RELATED PRODUCTS**

**HALF-WAVE PLATE**The half-wave plate rotates the polarization direction **48WP-2 (LOW-ORDER)**of a linearly polarized input beam

MULTICUBE SYSTEM Multicube-Components and Systems



This is a printout of the page https://sukhamburg.com/products/details/48WP-2-CA-811L from 5/2/2024

### **CONTACT**

For more information please contact: Schäfter + Kirchhoff GmbH Kieler Str. 212 22525 Hamburg Germany

Tel: +49 40 85 39 97-0 Fax: +49 40 85 39 97-79

info@sukhamburg.de www.sukhamburg.com

### **LEGAL NOTICE**

Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [more]