

5BL0.8-5

Iris diaphragm for fiber collimators with diameter Ø 12 mm



FEATURES

Iris diaphragm with an variable aperture for fiber collimators series $\underline{60FC}$ with an outer diameter Ø 12 mm.

- System mount Ø 8 mm
- min. aperure Ø 0.8 mm
- max. aperture Ø 5 mm

Please note: In case of use with a single mode / PM-fiber, the Gaussian beam from the fiber collimator is truncated by the iris diaphragm or by the pinhole

DOWNLOADS



921120277800.pdf (Dimensional drawing)

RELATED PRODUCTS

IRIS DIAPHRAGMS BL for collimators

ATTACHMENT OPTICS to attach in the front of collimators with system mount

SERIES 5 Ø 8 mm

FIBER COLLIMATORS Fiber Collimators for collimating light exiting a single-

SINGLE-MODE/PM mode or polarization-maintaining fiber cable



This is a printout of the page https://sukhamburg.com/products/details/5BL0 8-5 from 4/23/2024

CONTACT

For more information please contact: Schäfter + Kirchhoff GmbH Kieler Str. 212 22525 Hamburg Germany

Tel: +49 40 85 39 97-0 Fax: +49 40 85 39 97-79

info@sukhamburg.de www.sukhamburg.com

LEGAL NOTICE

Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [more]