5M-M20-08-S

Micro Focus Optics



FEATURES

Micro focus optics used for focussing the collimated radiation exiting a fiber collimator.

- Attachment optics for fiber collimators type 60FC with outer diameter Ø 12 mm
- Focal length f' = 20 mm
- AR Coating 980 -1550 nm
- Monochromatic correction

DESCRIPTION

The Micro Focus Optics type 5M-M20-08-S is used to generate a small laser spot from the collimated radiation of a fiber collimator.

The size of the spot and its Rayleigh range is determined by the fiber properties and by the focal lengths of the fiber collimator and of the micro focus optics. For single-mode fibers the Gaussian intensity distribution and beam shape are maintained.

It is designed for the fiber collimators series $\underline{60FC}$ with an outer diameter Ø 12 mm.

Adjustment:

In order to change the working distance of the Micro Focus Optics the lens position of the adjacent collimator has to be readjusted.

Housing material:

As standard, the housing of the Micro Focus Optics is made of nickel silver. For amagnetic fiber collimators Schäfter+Kirchhoff offers Micro Focus Optics with housings made of titanium.

TECHNICAL DATA

5M-M20-08-S


Series	5M
Order Code	5M-M20-08-S



DATA SHEET

Focal length	20 mm
Working distance A	18.1 ± 0.2 mm
AR coating	08
Wavelength range	980 - 1550 nm
Lens type	Doublet optics
Correction	Monochromatic
Numerical aperture	0.13
Clear aperture	Ø 5.8 mm
Outer diameter	Ø 11 mm
Length B	4.5 mm
System mount	Ø 8 mm
Front fitting	-
Housing material	Nickel silver
Weight	5 g
RoHS compliant	

Dimensions (for a complete dimensional drawing please refer to the downloads section)



DOWNLOADS



921120249000.pdf (Dimensional drawing)



Coating-0800-25.pdf (Coating curve)



ACCESSORIES

9D-12

Screwdriver WS 1.2

RELATED PRODUCTS

MICRO FOCUS OPTICS SERIES 5M	for transforming a collimated beam into a micro focus spot
ATTACHMENT OPTICS SERIES 5	to attach in the front of collimators with system mount \varnothing 8 mm

This is a printout of the page https://sukhamburg.com/products/details/5M-M20-08-S from 5/4/2024

CONTACT

For more information please contact: Schäfter + Kirchhoff GmbH Kieler Str. 212 22525 Hamburg Germany Tel: +49 40 85 39 97-0 Fax: +49 40 85 39 97-79

info@sukhamburg.de www.sukhamburg.com

LEGAL NOTICE

Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [more]

