## Half-wave plate, zero-order 5WP-2-405Z-L

allows polarization rotation of linearly polarized radiation of 405 nm



#### FEATURES

The retardation optics of type 5WP-2-405Z-L is a half-wave plate that allows the polarization rotation of linearly polarized radiation of 405 nm.

- Attachment optics with system mount Ø 8 mm for fiber collimators type <u>60FC</u> with outer diameter Ø 12 mm
- Zero-order half-wave retardation optics with an 1.5° inclined mounting in oder to avoid direct back-reflections
- Center wavelength: 405 nm
- Free rotation for best adjustment with positional locking using radially arranged screws.
- Long-form housing with system mount Ø 8 mm for adding additional attachment optics
- Adjustable using Schäfter+Kirchhoff Polarization Analyzer series <u>SK010PA</u>.
- For collimating focal lengths f > 25 mm
  Schäfter+Kirchhoff offers fiber collimators of type
  <u>60FC-Q</u> with integrated retardation optics.

# **TECHNICAL DATA**


Half-wave plate, zero-order 5WP-2-405Z-L

Order Code	5WP-2-405Z-L
Center wavelength	405 nm
Retardation	λ/2
Order	zero-order
AR coating	yes
Material	Quartz
Clear aperture	5 mm
Inclined mounting of retardation optics	1.5°

## **DATA SHEET**

System mount	Ø 8 mm
Front fitting	System mount Ø 8 mm
Housing material	Black anodized aluminum
Weight	5 g

Dimensions (for a complete dimensional drawing please refer to the downloads section)



### **DOWNLOADS**



921120280600.pdf (Dimensional drawing)

## ACCESSORIES

**POLARIZATION**Measurement tool for coupling into polarization-**ANALYZER SK010PA**maintaining fiber cables

9D-12

Screwdriver WS 1.2

## **RELATED PRODUCTS**

HALF-WAVE PLATES 5WP-2 (LOW-ORDER)	allows polarization rotation of linearly polarized radiation
FIBER COLLIMATOR SERIES 60FC	for collimating radiation exiting an optical fiber or as an incoupler



## **DATA SHEET**

FIBER COLLIMATOR 60FC-Q Fiber Collimator for collimating large beam diameters and with integrated quarter-wave plate

This is a printout of the page https://sukhamburg.com/products/details/5WP-2-405Z-L from 4/29/2024

## CONTACT

For more information please contact: Schäfter + Kirchhoff GmbH Kieler Str. 212 22525 Hamburg Germany Tel: +49 40 85 39 97-0 Fax: +49 40 85 39 97-79

info@sukhamburg.de www.sukhamburg.com

## **LEGAL NOTICE**

#### Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [more]

