
#### Quarter-wave plate, zero-order 5WP-4-1565Z-L

transform linearly polarized radiation with 1565 nm into circularly polarized radiation





For collimating focal lengths f > 25 mm
Schäfter+Kirchhoff offers fiber collimators of type
<u>60FC-Q</u> with integrated retardation optics.


# **TECHNICAL DATA**

Quarter-wave plate, zero-order 5WP-4-1565Z-L

Order Code	5WP-4-1565Z-L
Center wavelength	1565 nm
Retardation	λ/4
Order	zero-order
AR coating	yes
Material	Quartz
Clear aperture	5 mm



Inclined mounting of retardation optics	1.5°
System mount	Ø 8 mm
Front fitting	System mount Ø 8 mm
Housing material	Black anodized aluminum
Weight	5 g
Dimensions (for a complete dimensional drawing plea	ase refer to the downloads section)



#### **DOWNLOADS**



921120280600.pdf (Dimensional drawing)

# ACCESSORIES

POLARIZATIONMeasurement tool for coupling into polarization-<br/>maintaining fiber cables

9D-12

Screwdriver WS 1.2

#### **RELATED PRODUCTS**

HALF-WAVE PLATES 5WP-2 (LOW-ORDER)	allows polarization rotation of linearly polarized radiation
FIBER COLLIMATOR SERIES 60FC	for collimating radiation exiting an optical fiber or as an incoupler



#### **DATA SHEET**

FIBER COLLIMATOR 60FC-Q Fiber Collimator for collimating large beam diameters and with integrated quarter-wave plate

This is a printout of the page https://sukhamburg.com/products/details/5WP-4-1565Z-L from 5/7/2024

### CONTACT

For more information please contact: Schäfter + Kirchhoff GmbH Kieler Str. 212 22525 Hamburg Germany Tel: +49 40 85 39 97-0 Fax: +49 40 85 39 97-79

info@sukhamburg.de www.sukhamburg.com

## LEGAL NOTICE

#### Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [more]