
60EX-4

Eccentric key with a stroke of \pm 0.5 mm.





products/fiberoptics/fibercoupler/pm/60sms.html

TECHNICAL DATA

60EX-4

Order Code	60EX-4
Stroke	± 0.5 mm
Total length	
Material	Steel
Weight	6 g
RoHS compliant	Yes



RELATED PRODUCTS

ADJUSTMENT TOOLS FIBER OPTICS

ADJUSTMENT TOOLS LASER MODULES

60EX-4-L	Alternative eccentric key with long handle with a stroke of \pm 0.5 mm.
60EX-5	Eccentric key with a stroke of \pm 1.0 mm.
60EX-5-L	Alternative eccentric key with long handle with a stroke of \pm 1.0 mm.
55EX-5	Eccentric key with a stroke of \pm 1.5 mm.
55EX-5-L	Alternative eccentric key with long handle with a stroke of \pm 1.5 mm.
50HD-15	Hex key WS 1.5
9D-16	Screwdriver WS 1.6
9D-12	Screwdriver WS 1.2

This is a printout of the page https://sukhamburg.com/products/details/60EX-4 from 4/26/2024

CONTACT

For more information please contact: Schäfter + Kirchhoff GmbH Kieler Str. 212 22525 Hamburg Germany Tel: +49 40 85 39 97-0 Fax: +49 40 85 39 97-79

info@sukhamburg.de www.sukhamburg.com



LEGAL NOTICE

Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [more]

