Apertures 5H

for Collimators with Ø 12 mm



FEATURES

Apertures can be attached to Fiber Collimators of series <u>60FC</u> with outer Ø 12 mm in order to narrow down the collimated beam. They are available with fixed diameters Ø 0.2 mm to Ø 4.5 mm

ORDER OPTIONS

Order Code	For Series	For Diameter	Aperture Ø	Mounting
<u>5H0.2</u>	<u>60FC</u>	12 mm	0.2 mm	System mount Ø 8 mm
5H0.3	<u>60FC</u>	12 mm	0.3 mm	System mount Ø 8 mm
<u>5H0.4</u>	<u>60FC</u>	12 mm	0.4 mm	System mount Ø 8 mm
<u>5H0.5</u>	<u>60FC</u>	12 mm	0.5 mm	System mount Ø 8 mm
<u>5H0.8</u>	<u>60FC</u>	12 mm	0.8 mm	System mount Ø 8 mm
<u>5H1.0</u>	<u>60FC</u>	12 mm	1.0 mm	System mount Ø 8 mm
<u>5H1.2</u>	<u>60FC</u>	12 mm	1.2 mm	System mount Ø 8 mm
<u>5H1.5</u>	<u>60FC</u>	12 mm	1.5 mm	System mount Ø 8 mm
<u>5H2.0</u>	<u>60FC</u>	12 mm	2.0 mm	System mount Ø 8 mm
<u>5H2.4</u>	<u>60FC</u>	12 mm	2.4 mm	System mount Ø 8 mm
<u>5H2.5</u>	<u>60FC</u>	12 mm	2.5 mm	System mount Ø 8 mm
<u>5H3.0</u>	<u>60FC</u>	12 mm	3.0 mm	System mount Ø 8 mm
<u>5H4.5</u>	<u>60FC</u>	12 mm	4.5 mm	System mount Ø 8 mm

Other diameters on request.

ACCESSORIES



9D-12 Screwdriver WS 1.2

RELATED PRODUCTS

ATTACHMENT OPTICS SERIES 5	to attach in the front of collimators with system mount \varnothing 8 mm
IRIS DIAPHRAGMS 5BL	for collimators with Ø 12 mm
APERTURES 13H	for Collimators with Ø 25 mm

This is a printout of the page

https://sukhamburg.com/products/fiberoptics/fibercoupler/accessories/attachmentoptics/fixedaperture/5h.html from 4/26/2024

CONTACT

For more information please contact: Schäfter + Kirchhoff GmbH Kieler Str. 212 22525 Hamburg Germany Tel: +49 40 85 39 97-0 Fax: +49 40 85 39 97-79

info@sukhamburg.de www.sukhamburg.com

LEGAL NOTICE

Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [more]

