


## Polarization Beam Splitters 48PM-CC

Beam splitting cube, polarization dependent, in adjustment mount




### FEATURES

The polarization beam splitters 48PM-CC are polarization dependent cube beam splitters. They have an adjustable mount and are designed to be integrated into the [multicube system](#).

- Beam splitting cube
- Polarization depending
- Extinction ratio up to 10,000 : 1
- Clear aperture up to 7 mm
- Reflection angle 90°
- Broadband AR coating
- In adjustable mount
- Shipped with clamp collar

## DESCRIPTION

The polarization beam splitters 48PM-CC are polarization depending cube beam splitters. The splitting ratio is e.g. 50:50 for linearly polarized input radiation with polarization direction  $\alpha = 45^\circ$ . Maximum transmission is reached at  $\alpha = 0^\circ$  (p-pol.) with maximum reflection at  $\alpha = 90^\circ$  (s-pol.).



## ORDER OPTIONS

Order Code	Series	Wavelength Range	Extinction	Clear Aperture
<a href="#">48PM-CC-A</a>	<a href="#">48PM-CC</a>	450 - 700 nm	10,000 : 1	Ø 7 mm
<a href="#">48PM-CC-B</a>	<a href="#">48PM-CC</a>	750 - 1100 nm	10,000 : 1	Ø 7 mm
<a href="#">48PM-CC-C</a>	<a href="#">48PM-CC</a>	1100 - 1700 nm	10,000 : 1	Ø 7 mm
<a href="#">48PM-CC-W</a>	<a href="#">48PM-CC</a>	450 - 1000 nm	10,000 : 1	Ø 7 mm
<a href="#">48PM-CC-V</a>	<a href="#">48PM-CC</a>	390 - 480 nm	10,000 : 1	Ø 3.5 mm
<a href="#">48PM-CC-370-420</a>	<a href="#">48PM-CC</a>	370 - 420 nm	500 : 1	Ø 3.5 mm
<a href="#">48PM-CC-297-313</a>	<a href="#">48PM-CC</a>	297 - 313 nm	500 : 1	Ø 3.5 mm
<a href="#">48PM-CC-RGB</a>	<a href="#">48PM-CC</a>	400 - 700 nm	200 : 1	Ø 3.5 mm

## DOWNLOADS



[980120190200.pdf \(Dimensional drawing\)](#)

## RELATED PRODUCTS

### MULTICUBE SYSTEM

Multicube-Components and Systems

This is a printout of the page <https://sukhamburg.com/products/fiberoptics/multicube/optics/beamsplitter/pbs.html> from 5/2/2024

## CONTACT

For more information please contact:

Schäfter + Kirchhoff GmbH

Kieler Str. 212

22525 Hamburg

Germany

Tel: +49 40 85 39 97-0

Fax: +49 40 85 39 97-79

[info@sukhamburg.de](mailto:info@sukhamburg.de)

[www.sukhamburg.com](http://www.sukhamburg.com)

## LEGAL NOTICE

**Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.**

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [\[more\]](#)