

## Photo and Enlarging Camera Lenses

with M40-mount, M45-mount or F-mount



### FEATURES

Fixed focal length Camera Lenses (machine vision lenses) for large image scales. Due to the F-mount attachment they are appropriate for medium sensor

lengths. For the cost-effective photo lenses AF...

Schäfter+Kirchhoff offer adapter combinations with integrated

locking for the focus and aperture ring. There are three types:

- [Photo and Enlarging Lenses with M40-mount](#)  
(compatible Extension Rings: [EXT-series](#), length 0.5 to 40 mm)
- [Photo and Enlarging Lenses with M45-mount](#)  
(compatible Extension Rings: [ZR-series](#), length 10 to 50 mm)
- [Photo and Enlarging Lenses with F-mount](#)  
(compatible Extension Rings: [ZR-series](#), length 10 to 50 mm)

## ORDER OPTIONS

Order Code	Focal Length	F-number	Max. CCD Sensor Length	Magnification Range	Flange Focal Length	Length	Outer Diameter	Filter Thread	Min. Close Focus Range
	f	K	S	$\beta$	s'A'	LO			A
	[mm]		[mm]		[mm]	[mm]	[mm]		[mm]
M40x0.75 attachment									
SK2.8/20-40	20	2.8	36	1:8.3 - 0	19.5	69.5	69	M62x0.75	250
SK2.8/28-40	28	2.8	36	1:5.6 - 0	19.5	71.5	65	M52x0.5	250
SK2.0/35-40	35	2.0	36	1:4.2 - 0	19.5	70.5	64.5	M52x0.5	250
SK1.4/50-40	50	1.4	36	1:6.8 - 0	19.5	69.5	64.5	M52x0.5	450
SK1.8/50-40	50	1.8	36	1:6.6 - 0	19.5	66	63.5	M52x0.5	450
M45x0.75 attachment									
SK2.8/20-45	20	2.8	36	1:8.3 - 0	19.5	69.5	69	M62x0.75	250
SK2.8/28-45	28	2.8	36	1:5.6 - 0	19.5	71.5	65	M52x0.5	250
SK2.0/35-45	35	2.0	36	1:4.2 - 0	19.5	70.5	64.5	M52x0.5	250
SK1.4/50-45	50	1.4	36	1:6.8 - 0	19.5	69.5	64.5	M52x0.5	450
SK1.8/50-45	50	1.8	36	1:6.6 - 0	19.5	66	63.5	M52x0.5	450
F-Mount (bayonet 44m)									
AF2.8/20D	20	2.8	36	1:8.3 - 0	46.5	42.5	69	M62x0.75	250
AF2.8/24D	24	2.8	36	1:8.9 - 0	46.5	46	64.5	M52x0.5	300
AF2.8/28D	28	2.8	36	1:5.6 - 0	46.5	44.5	65	M52x0.5	250
FL-YFL3528	35	2.8	45	1:6.65 - 0	45.5	56.8	72	M62.5x0.75	190
Rodagon-F 40	40	4.0	44	1:2 - 0	46.5	21	59	M40.5x0.5	94
AF1.4/50D	50	1.4	36	1:6.8 - 0	46.5	42.5	64.5	M52x0.5	450
inspec.x M1.4/50	50	1.4	43.5	1:6.67 - 0	42.6	45	70	M58x0.75	355
AF1.8/50D	50	1.8	36	1:6.6 - 0	46.5	39	63.5	M52x0.5	450
FL-YFL5028	50	2.8	45	1:6.13 - 0	45.5	57.8	72	M62.5x0.5	250
Rodagon-F 50	50	2.8	44	1:2 - 0	46.53	27.8	59	M40.5x0.5	124
Rodagon-F 60	60	4.0	44	1:2 - 0	46	40.2	59	M40.5x0.5	159
AF1.0/300D	300	4.0	36	1:3.7 - 0	46.5	232.5	90	M71x0.75	2200

This is a printout of the page <https://sukhamburg.com/products/linescancamera/equipment/lenses/photo.html> from 6/9/2023

## CONTACT

For more information please contact:

Schäfter + Kirchhoff GmbH

Kieler Str. 212

22525 Hamburg

Germany

Tel: +49 40 85 39 97-0

Fax: +49 40 85 39 97-79

[info@sukhamburg.de](mailto:info@sukhamburg.de)

[www.sukhamburg.com](http://www.sukhamburg.com)

## LEGAL NOTICE

**Copyright 2020 Schäfter+Kirchhoff GmbH. All rights reserved.**

Text, image, graphic, sound, video and animation files and their arrangement on Schäfter+Kirchhoff GmbH webpages are protected by copyright and other protective laws. The content may not be copied for commercial use or reproduced, modified or used on other websites. [\[more\]](#)